ENGINEERING DEPARTMENT.

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Abstract Notification dated 10th May 1937.

The attention of the public is invited to the Notification, dated 7th May 1937, calling for tenders for the work of "Providing Sanitary Fittings with drainage arrangements to the Inspection Lodge at Sivasamudram," published on pages 719-720, Part VI of the *Mysore Gazette*, dated 13th May 1937.

The last date for receiving tenders is fixed on 1st June 1937.

SYED AHMED HUSSAIN,
For *Sanitary Engineer.*

Abstract Notification dated 18th May 1937.

The attention of the public is invited to the Notification, dated 11th May 1937, calling for the tenders for the work of "Constructing silk pattern drains in Arsikere Town", published on page 797, Part VI of the *Mysore Gazette*, dated 20th May 1937.

The last date of receiving tenders is fixed on 5th June 1937.

C. R. IYENGAR,
For *Sanitary Engineer.*

BUILDINGS DIVISION, BANGALORE.

Abstract Notification dated 18th May 1937.

The attention of the public is invited to the Notification, calling for tenders for leasing out the Tiffin Room in New Special Magistrates' Court Building, Cenotaph Road, Bangalore City, published on page 798, Part VI, of the *Mysore Gazette*, dated 20th May 1937.

Abstract Notification dated 14th May 1937.

The attention of the public is hereby invited to the detailed Notification, calling for tenders for the extension of Kannada Boys' Middle School at Visweswarapuram, Bangalore, published on pages 770-771, Part VI of the *Mysore Gazette*, dated 20th May 1937. The last date for the receipt of the tenders is 28th May 1937.

B. R. GARUDACHAR,
Executive Engineer.

BANGALORE DIVISION.

Abstract Notification dated 14th May 1937.

The attention of the public is hereby invited to the detailed Notification, inviting tenders for Improving Kattigenahalli Tank, Register No. 37 of Hoskote Taluk, published on pages 766-767 of Part VI of the *Mysore Gazette*, dated 20th May 1937.

The last date for the receipt of the tender is 2 P.M. on 7th June 1937 and the earnest money to accompany the tender is Rs. 180.

Abstract Notification dated 14th May 1937.

The attention of the public is hereby invited to the detailed Notification, inviting sealed tenders for restoring Alappanahally Minor Tank, Register No. 166 of Hoskote Taluk, published on pages 767-769 of Part VI of the *Mysore Gazette*, dated 20th May 1937.

The last date for the receipt of tenders is 2 P.M. on 5th June 1937 and the earnest money to accompany the tender is Rs. 330.

M. K. NARASIMHA IYER,
Executive Engineer.

KOLAR DIVISION.

Abstract Notification dated 10—11*th May* 1937.

The attention of the public is invited to the Notification on pages 772-774 of the issue of the *Mysore Gazette*, dated 20th May 1937, calling for tenders for the work of restoring Anchimuskur Tank R. No. 480 of Malur Taluk.

The last date fixed for the receipt of tenders in this office is 12 noon on 14th June 1937.

Abstract Notification dated 10*th May* 1937.

The attention of the public is invited to the Notification on pages 774-776, Part VI of the issue of *Mysore Gazette*, dated 20th May 1937, calling fortend ers for the work of restoring Krishnapur Kempankere Minor Tank, R. No. 235/540 of Kolar Taluk.

The last date fixed for the receipt of tender in this office is 12 noon on 14th June 1937.

P. RAJAGOPALAN,
Executive Engineer.

HASSAN DIVISION.

Notification dated 21*th May* 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Hassan Division, up to 31st May 1937, up to 3 P.M., for constructing Veterinary Hospital in Hole-Narsipur Town. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of August 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Hassan, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 275 (Two hundred and seventy five in cash or Government Promissory Notes as earnest money, and be superscribed "Tender for constructing Veterinary Hospital at Hole-Narsipur," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for constructing Veterinary Hospital at Hole-Narsipur, Hassan District.

Sl. No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
1	Earthwork excavation and filling in basement ..	C.yd.	0 3 0	52	
2	Stone jelly concrete in lime mortar	C.ft.	0 4 0	249	
3	Size stone in clay, filling foundation and basement	,,	0 4 6	1,254	
4	Burnt brick in clay superstructure	,,	0 3 6	1,425	
5	Burnt stone slabs 6" thick, dressed and fixed in mortar	S.ft.	0 8 0	186	
6	Burnt stone slabs 6" thick, nicely dressed and fixed in mortar	,,	0 10 0	114	
7	Burnt brick in mortar	C.ft.	0 4 6	173	
8	Reinforced cement concrete pillars $1\frac{1}{8}' \times 1\frac{1}{8}' \times 8\frac{1}{2}'$ well finished as per design on plan with fixing cement plastering, etc., complete including two half pillars	Each	10 0 0	7	
9	Teakwood work wrought and put up including wood oiling two coats	C.ft.	4 8 0	94·00	
10	Teakwood doors, half panelled and half glazed with hinges, tower bolts, iron clamps, etc., complete	S.ft.	1 8 0	135	
11	Teakwood windows half panelled and half glazed with 4 shutters, $\frac{3}{4}$" iron bars with iron fittings, etc., complete	S.ft.	1 12 0	101	
12	Teakwood glazed ventilators with $\frac{3}{4}$" iron bars, etc., complete	,,	1 8 0	12	
13	Roofing with 1st class Mangalore Tiles on teak reepers, nails, etc., complete	Sqr.	24 0 0	9·60	
14	Ridge tiles set in mortar	R.ft.	0 7 0	80	
15	Roofing with R.C. terrace with concrete, two courses of flat tiles laid in chunam mortar and plastering over	Sqr.	40 0 0	3·15	
16	Cornice with brick in mortar as shown on plan	R.ft.	0 6 0	56	
17	Chunam plastering	Sqr.	3 8 0	33·62	
18	Cement pointing to basement	,,	4 0 0	2·01	
19	White and colour washing	,,	0 4 6	33·62	
20	Flooring with $1\frac{1}{2}$" cement concrete floor on 3" surki concrete complete with $\frac{1}{2}$" cement plaster mixed with red ochre	Sqr.	24 0 0	7·08	
21	Tatas tested rolled steel joists of B.S.S. including railway freight, hoisting and fixing in position	Cwt.	12 0 0	11	
22	Silicate painting two coats	Sqr.	3 8 0	4·96	
23	Boxing girders with brick in mortar and plastering over	R.ft.	0 6 0	57	
24	Providing teakwood plank for the counter with necessary iron brackets and making necessary arrangements	L. S.	Rupees	10	
25	Plain parapet wall with brick in mortar, with base, etc., complete to a height of 2' as shown on plan	R.ft.	0 8 0	57	
	Constructing Cattle Ward.				
1	Earthwork excavation and filling in basement ..	C.yds.	0 3 0	38	
2	Stone jelly concrete in lime mortar	C.ft.	0 4 0	172	
3	Size stone in clay filling foundation and basement	C.ft.	0 4 6	896	
4	Burnt brick in clay superstructure	C.ft.	0 3 6	851	
5	Burnt stone slabs 6" thick roughly dressed and set in mortar	S.ft.	0 8 0	47	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
6	Burnt brick in mortar	C.ft.	0 4 6	44	
7	Teakwood king post truss 15′ clear span including hoisting and fixing with iron fittings, etc., complete	Each	45 0 0	3	
8	Teakwood work wrought and put up including wood oiling two coats	C.ft.	4 8 0	61.00	
9	Roofing with 1st class Mangalore Tiles on teak reepers with nails, etc., complete ..	Sqr.	24 0 0	10.66	
10	Ridge tiles set in mortar	R.ft.	0 7 0	82	
11	Chunam plastering	Sqr.	3 8 0	22.93	
12	White and colour washing 2 coats	„	0 4 6	22.93	
13	Chocolate painting two coats	„	3 8 0	1.74	
14	Teakwood battened doors with necessary hinges, clamps, tower bolts, etc., complete ..	S.ft.	1 6 0	39	
15	Teakwood battened windows with ¾″ iron bars with necessary hinges, clamps, hooks, etc., complete with four shutters	S.ft.	1 8 0	48	
16	Cement pointing to basement ..	Sqr.	4 0 0	1.16	
17	Flooring with burnt stone slabs 4″ to 6″ thick on 3″ jelly concrete bed and cement pointing	„	38 0 0	3.69	
18	Flooring with 3″ jelly concrete on 1½″ cement concrete including ½″ thick cement plaster over	„	18 0 0	2.14	
19	Burnt stone slabs 6″ thick for manger pit roughly drissed and fixed including cement pointing and drilling holes wherever necessary as shown on plan	S.ft.	0 10 0	49	
20	Teakwood eave board plain 9″ deep 1″ thick plank including fixing and painting ..	R.ft.	0 8 0	127	
21	Weather board between pillars in front including fixing and painting, etc., complete as shown on plan	S.ft.	0 10 0	42	
22	Clearing site and levelling ground and forming ramps	L. S.	Rs. 10		
	Constructing Dressing Shed.				
1	Earthwork excavation for foundation and filling in basement	C.yd.	0 3 0	16	
2	Stone jelly concrete in lime mortar ..	C.ft.	0 4 0	73	
3	Size stone in clay for foundation and basement..	C.ft.	0 4 6	377	
4	Burnt stone slabs 6″ thick including dressing and fixing in mortar	S.ft.	0 8 0	97	
5	Burnt brick in mortar superstructure ..	C.ft.	0 4 6	268	
6	Double rolled steel joists Tatas tested over pillars fastened with bolts and nuts and fixed (octogonal shape)	Cwt.	12 0 0	12.4	
7	Boxing steel joists complete with brick in mortar and plastering	R.ft.	0 6 0	58	
8	R. C. cantilever loveys with necessary reinforcement iron fittings 3′ wide including plastering, beading, etc., complete as per plan ..	R.ft.	1 4 0	66	
9	Providing R.C. circular dome for roof over the shed with necessary reinforcement with cornice ornamentation at top, etc., complete as per design including scaffolding charges	C.ft.	1 8 0	241	
10	Chunam plastering	Sqr.	3 8 0	10.00	
11	White washing 2 coats	„	0 4 6	16.00	
12	Cement pointing to basement	„	4 0 0	1.00	
13	Providing iron gates with necessary hinges, pivots, etc., including painting two coats complete 5′×5½′	Each	25 0 0	2	
14	Forming ramps at both gates and other unforeseen works	L. S.	Rs. 10		

Notification dated 24th May 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Hassan Division, up to 16th June 1937 up to 2 P.M. for restoration of Hyrane Doddakere, Reg. No. 729, Hassan Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of March 1938.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Hassan between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 250 (two hundred and fifty only) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for the restoration of Hyrane Doddakere, Reg. No. 729 of Hassan Taluk", in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned. The accepted tenderer must furnish a cash security of Rs. 250 for the due fulfilment of the contract.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. Transfer of works to third parties by selected contractor will not be countenanced by the Department and in the case of any such attempt the earnest money is liable to be forfeited at the discretion of the Superintending Engineer.

Abstract estimate for restoring Hyrane Doddakere, Registered No. 729, Hassan Taluk.

No.	Items of work	Per	Rate	Quantity	Rate to be quoted
	I. Bund at R. L. 57.00.		Rs. a. p.		Rs.
1	Removing jungle with roots and cutting grips to receive new earth including filling up ant hills, etc.	Grade	5 0 0	15	
2	Cutting open the bund and closing the leak in the 6th grade complete with puddle wall, etc.	L. S.		Rs. 50	
3	Earthwork to bund including watering and consolidation, etc., complete (earth from the bed of the tank)	C.yd.	0 4 0	10,596	
4	Consolidation charges for earth available from weir	,,	0 2 0	504	
5	Removing and refixing old grade stones after cutting figures and painting	Each	0 12 0	12	

No.	Items of work	Per	Rate	Quantity	Rate to be quoted
			Rs. a. p.		Rs.
6	Providing and fixing new grade stones, cutting figures and painting	Each	2 8 0	4	
7	Providing and fixing index stones	,,	0 12 0	16	
8	Providing and fixing new B. M. stones including cutting figures and painting	,,	3 0 0	2	
9	Providing and fixing date and register stone complete	,,	4 0 0	1	
10	Turfing with hoge grass	S.yd.	0 0 10	9,658	
	II. Left Sluice (No. 1).				
	Providing and fixing new regulating rod and plug with locking arrangements and petty repairs	L. S.		Rs. 20	
	III. Constructing a C.I. pipe sluice of 5" diameter with cill at 43.50.				
1	Earthwork cutting open the bund and refilling with consolidation with good earth ..	C.yd.	0 5 0	23	
2	Earthwork excavation for foundation ..	,,	0 3 0	32	
3	Stone jelly concrete in surki mortar	C.ft.	0 4 6	280	
4	Size stone in surki mortar	,,	0 5 6	521	
5	Providing and fixing 6" burnt stone slabs dressed and fixed in surki mortar	S.ft.	0 8 0	102	
6	Cement concrete slabs with thick plastering $\frac{3}{4}$" thick 1 : 2 : 4	C.ft.	1 0 0	10	
7	Pointing with cement mortar	Sqr.	4 0 0	4·73	
8	Providing and fixing 5" dia. cast iron pipe sluice as per specifications	R.ft.	2 0 0	36	
9	Providing and fixing rod and plug with locking arrangements, etc., complete	Each	10 0 0	1	
10	Drilling holes in slabs	,,	1 0 0	4	
11	Baling water, rough stone revetment and diversion of water, etc.	L. S.		Rs. 14	
	IV. Left Weir at 52.00, 40 ft. long.				
1	Repairing or reconstructing the weir damaged in the centre and extending the same to 40 ft.	L. S.		Rs. 250.	
	V. Right weir at 52·00, 40 feet long.				
1	Earthwork excavation for foundation ..	C.yd.	0 4 0	26	
2	Stone jelly concrete in surki mortar	C.ft.	0 4 6	74	
3	Size stone in surki mortar with bond stones, etc.	,,	0 5 6	301	
4	Providing and fixing 6" thick burnt stone slabs dressed and fixed in surki mortar ..	S.ft.	0 8 0	75	
5	Pointing with surki mortar	Sqr.	4 0 0	1·00	
6	Earthwork excavation and draft approach clearings	C.yd.	0 3 0	504	
7	Rough stone revetment to left return and other unforeseen charges	L. S.		Rs. 32	

Notification dated 24th May 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Hassan Division, up to 2 P.M. on 14th June 1937, for opening out a New Road from Alur to Biccodu in Hassan District. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Hassan, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 500 (five hundred only) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Opening out a New Road from Alur to Biccodu in the Hassan District" in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned. The accepted tenderer must produce a cash security of 5 per cent of the estimate for the due fulfilment of the contract.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

13. Transfer of works to third parties by selected contractors will not be countenanced by this Department and in the case of any such attempt the earnest money is liable to be forfeited at the discretion of the Superintending Engineer.

Abstract estimate for opening out a new Road from Alur to Bikkodu in Hassan District.

No.	Items of work	Per	Rate	Quantity	Rate to be quoted
			Rs. a. p.		Rs.
1	Jungle clearing full width of 36′ removing roots, etc.	Fgs.	10 0 0	99	
2	Forming road including cutting, easing and banking to an average depth of 3″ to 4½″ ..	S.yd..	0 0 4	54,555	
3	Do do 4½″ to 6″ depth with a lead of 50 ft.	,,	0 0 8	46,200	
4	Do do 6″ to 9″ with a lead of 50 ft.	,,	0 1 0	6,600	
5	Cutting and forming the road between 3 and 4 —8 mile	C.yd.	0 3 6	1,823	
6	Carting the above quantity and forming bank with a average lead of ¼ mile	,,	0 2	1,823	
7	Earth cutting side and check drains and using the earth for formation of the road including lead as per detailed estimate	,,	0 3 6	27,935	
8	Excavation of shoulder drains and using the earth for the embankment of the road with lead	Fgs.	4 0 0	99	
9	Mile stone neatly dressed, cutting figures, painting, etc., complete as per specification ..	Each	10 0 0	13	
10	Furlong stones neatly dressed, cutting figures, painting, etc., as per specification ..	,,	3 0 0	87	
11	Turfing the banks wherever necessary ..	L. S.	Rs. 150		
12	Collection and consolidation of gravel ..	C.yd.	0 6 0	5,445	

No.	Items of work	Per	Rate	Quantity	Rate to be quoted
			Rs. a. p.		Rs.
13	Lead charges 0 to 4 miles, ½ length, average 2 miles	C.yd,	0 14 0	880	
14	Do do 4 to 8 miles ½ length average 1 mile	,,	0 8 0	880	
15	Removing ant hills, blasting out crops here and there;	L. S.	Rs. 150.		
16	Providing R. C. finger post	Each	50 0 0	2	
17	*Constructing masonry turned,* vide *details given below* :—No. 15, to be construction *vide* detail on plan.				
(*a*)	Earthwork excavation	C.yd.	0 4 0	30	
(*b*)	Concrete in surki mortar	C.ft.	0 4 6	196	
(*c*)	Size stone in surki mortar	,,	0 6 0	238	
(*d*)	Burnt stone slabs 6′ thick dressed and fixed over the vent way	S.ft.	0 10 0	99	
(*e*)	Pointing in cement mortar	Sqr.	4 8 0	1.55	
(*f*)	Building stone slabbed parapet wall nicely dressed and fixed in cement including cement pointing cutting, groves wherever necessary ..	S.ft.	1 0 0	26	
18	Providing metalled wheel tracks 4′—6″ centres and 1 foot wide of about 3″ metal, etc., complete wherever necessary	L. S.	Rs. 5,000.		

N. LAKSHMINARASIMHAIYA,
Executive Engineer.

MISCELLANEOUS DEPARTMENTS

PROVINCIAL GANJA STORES, GOVERNMENT CENTRAL DISTILLERY BUILDINGS, BANGALORE.

Notice No. 137-37, *dated 20th May* 1937.

Tender for the supply of Ganja packing materials required for use at the Ganja Stores Distillery Buildings, Bangalore.

1. Sealed tenders for the supply of the undermentioned packing articles (Appendix 1) to the Ganja Stores, Bangalore, for one year commencing from 1st July 1937 and ending with 30th June 1938, will be received by the Officer-in-charge of the Provincial Ganja Stores, Bangalore, at his office, *i.e.,* in the Excise Commissioner's Office, New Public Offices, Bangalore, up to 2 P.M. on the 14th June 1937.

2. Tenders must be sealed and superscribed " tender for the supply of packing articles to the Provincial Ganja Stores, Mysore Road, Bangalore " and specify the rate at which the tenderer undertakes to supply each article and must also be accompanied by a cash deposit of Rs. 50 and should be addressed to the Officer-in-charge of the Provincial Ganja Stores, Bangalore.

3. The final acceptance of the tenders, will, subject to the approval of the Excise Commissioner in Mysore, rest with the Officer-in-charge of the Provincial Ganja Stores, Bangalore, who reserves to himself full power to reject any or all the tenders without assigning any reason. He may also accept one or more items in any one tender without accepting the other item or items.

4. The successful tenderer will be required to deposit as security an additional sum of Rs. 50 to make up the full deposit of Rs. 100 and sign a contract bond (Appendix II) within eight days from the date of his being informed of the acceptance of his tender. If these conditions are not fulfilled, his deposit of Rs. 50 furnished along with his tender will be forfeited to Government and the acceptance will be cancelled. In the event of his contract having to cease on account of any change of policy by Government, the contractor will not be liable for compensation.

5. The deposits of the unsuccessful tenderers will be returned to them and that of the successful tenderers will be held as security deposit till the end of June 1938 for the due fulfilment of the terms of the contract.

6. The actual quantity required for supply every month will be intimated to the contractor, from time to time by the Officer in charge, Provincial Ganja Stores, Bangalore and on receiving